

Product datasheet for TA501835AM

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

AK3 Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI6B7]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI6B7
Applications: IHC, WB

Recommended Dilution: WB 1:500~2000

Reactivity: Human, Dog, Rat, Monkey, Mouse

Host: Mouse Isotype: IgG2a

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human AK3 (NP_057336) produced in HEK293T

cell

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 0.5 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Biotin

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 25.4 kDa

Gene Name: adenylate kinase 3

Database Link: NP 057366

Entrez Gene 26956 RatEntrez Gene 56248 MouseEntrez Gene 476342 DogEntrez Gene 694714

MonkeyEntrez Gene 50808 Human

Q9UIJ7

Synonyms: AK3L1; AK6; AKL3L; AKL3L1; FIX


Protein Families: Druggable Genome

Protein Pathways: Pyrimidine metabolism







Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY AK3 ([RC204408], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-AK3. Positive lysates [LY414079] (100ug) and [LC414079] (20ug) can be purchased separately from OriGene.




Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-AK3 monoclonal antibody.




Immunohistochemical staining of paraffinembedded Human colon tissue within the normal limits using anti-AK3 mouse monoclonal antibody. ([TA501835])






Immunohistochemical staining of paraffinembedded Human liver tissue within the normal limits using anti-AK3 mouse monoclonal antibody. ([TA501835])





Immunohistochemical staining of paraffinembedded Carcinoma of Human lung tissue using anti-AK3 mouse monoclonal antibody. ([TA501835])




Immunohistochemical staining of paraffinembedded Carcinoma of Human prostate tissue using anti-AK3 mouse monoclonal antibody. ([TA501835])









Immunohistochemical staining of paraffinembedded Human lymph node tissue within the normal limits using anti-AK3 mouse monoclonal antibody. ([TA501835])