

Product datasheet for TA501887BM

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

SOD2 Mouse Monoclonal Antibody (HRP conjugated) [Clone ID: OTI1H6]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI1H6

Applications: WB

Recommended Dilution: WB 1:500~2000

Reactivity: Human, Dog, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human SOD2 (NP_000627) produced in HEK293T

cell

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol.

Concentration: 0.5 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: HRP

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 22.2 kDa

Gene Name: superoxide dismutase 2

Database Link: NP 000627

Entrez Gene 20656 MouseEntrez Gene 24787 RatEntrez Gene 476258 DogEntrez Gene 6648

<u>Human</u> P04179





Background:


This gene is a member of the iron/manganese superoxide dismutase family. It encodes a mitochondrial protein that forms a homotetramer and binds one manganese ion per subunit. This protein binds to the superoxide byproducts of oxidative phosphorylation and converts them to hydrogen peroxide and diatomic oxygen. Mutations in this gene have been associated with idiopathic cardiomyopathy (IDC), premature aging, sporadic motor neuron disease, and cancer. Alternate transcriptional splice variants, encoding different isoforms, have been characterized. [provided by RefSeq]

Synonyms: IPOB; MNSOD; MVCD6


Protein Families: Druggable Genome, Transcription Factors

Protein Pathways: Huntington's disease


Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY SOD2 (Cat# [RC202330], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-SOD2 (Cat# [TA501887]). Positive lysates [LY400235] (100ug) and [LC400235] (20ug) can be purchased separately from OriGene.



Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-SOD2 monoclonal antibody.



Equivalent amounts of cell lysates (10 ug per lane) of wild-type HEK293T cells (WT, Cat# LC810293T) and SOD2-Knockout HEK293T cells (KO, Cat# [LC840161]) were separated by SDS-PAGE and immunoblotted with anti-SOD2 monoclonal antibody [TA501887] (1:500). Then the blotted membrane was stripped and reprobed with anti-HSP90 antibody as a loading control.