

Product datasheet for TA501932S

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Glutathione Synthetase (GSS) Mouse Monoclonal Antibody [Clone ID: OTI1A12]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI1A12
Applications: IHC, WB

Recommended Dilution: WB: 1:500, IHC: 1:50-1:150

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human GSS (NP_000169) produced in HEK293T

cell

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 0.58 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 52.2 kDa

Gene Name: glutathione synthetase

Database Link: NP 000169

Entrez Gene 14854 MouseEntrez Gene 25458 RatEntrez Gene 2937 Human

P48637

Background: Glutathione is important for a variety of biological functions, including protection of cells

from oxidative damage by free radicals, detoxification of xenobiotics, and membrane transport. The protein encoded by this gene functions as a homodimer to catalyze the

second step of glutathione biosynthesis, which is the ATP-dependent conversion of gamma-L-glutamyl-L-cysteine to glutathione. Defects in this gene are a cause of glutathione synthetase

deficiency. [provided by RefSeq]




Synonyms: GSHS; HEL-S-64p; HEL-S-88n


Protein Families: Druggable Genome

Protein Pathways: Glutathione metabolism, Metabolic pathways


Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY GSS ([RC203174], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-GSS. Positive lysates [LY424876] (100ug) and [LC424876] (20ug) can be purchased separately from OriGene.



Immunohistochemical staining of paraffinembedded Human colon tissue within the normal limits using anti-GSS mouse monoclonal antibody at 1:150 ([TA501932])



Immunohistochemical staining of paraffinembedded Human liver tissue within the normal limits using anti-GSS mouse monoclonal antibody at 1:150 ([TA501932])