

Product datasheet for TA501959S

HAO1 Mouse Monoclonal Antibody [Clone ID: OTI5A1]

Product data:

Product Type:	Primary Antibodies
Clone Name:	OTI5A1
Applications:	FC, IF, WB
Recommended Dilution:	WB: 1:500-1:2000, IF: 1:100, Flow: 1:50-1:100
Reactivity:	Human, Mouse, Rat
Host:	Mouse
lsotype:	lgG1
Clonality:	Monoclonal
Immunogen:	Full length human recombinant protein of human HAO1 (NP_060015) produced in HEK293T cell.
Formulation:	PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.
Concentration:	0.68 mg/ml
Purification:	Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	40.7 kDa
Gene Name:	hydroxyacid oxidase 1
Database Link:	<u>NP_060015</u> <u>Entrez Gene 15112 MouseEntrez Gene 311446 RatEntrez Gene 54363 Human Q9UJM8</u>



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

GRIGENE HAO1 Mouse Monoclonal Antibody [Clone ID: OTI5A1] – TA501959S


Background:This gene is one of three related genes that have 2-hydroxyacid oxidase activity yet differ in
encoded protein amino acid sequence, tissue expression and substrate preference.
Subcellular location of the encoded protein is the peroxisome. Specifically, this gene is
expressed primarily in liver and pancreas and the encoded protein is most active on
glycolate, a two-carbon substrate. The protein is also active on 2-hydroxy fatty acids. The
transcript detected at high levels in pancreas may represent an alternatively spliced form or
the use of a multiple near-consensus upstream polyadenylation site. [provided by RefSeq].
COMPLETENESS: full length.

Synonyms: GOX; GOX1; HAOX1


Protein Pathways:

Glyoxylate and dicarboxylate metabolism, Metabolic pathways

Product images:




HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY HAO1 (Cat# [RC216834], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-HAO1(Cat# [TA501959]). Positive lysates [LY413692] (100ug) and [LC413692] (20ug) can be purchased separately from OriGene.



Anti-HAO1 mouse monoclonal antibody ([TA501959]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY HAO1 ([RC216834]).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



HEK293T cells transfected with either [RC216834] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-HAO1 antibody ([TA501959]), and then analyzed by flow cytometry at 1:100

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US