

## **Product datasheet for TA502013BM**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## SDR O (SDR9C7) Mouse Monoclonal Antibody (HRP conjugated) [Clone ID: OTI8F3]

**Product data:** 

**Product Type:** Primary Antibodies

Clone Name: OTI8F3
Applications: FC, WB

Recommended Dilution: WB 1:2000, FLOW 1:100

Reactivity: Human, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

**Immunogen:** Human recombinant protein fragment corresponding to amino acids 1-313 of human

(NP\_683695) produced in E.coil.

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol.

Concentration: 0.5 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: HRP

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 35.1 kDa

**Gene Name:** short chain dehydrogenase/reductase family 9C member 7

Database Link: NP 683695

Entrez Gene 121214 Human

Q8NEX9

**Background:** This gene encodes a protein with similarity to the short-chain dehydrogenase/reductase

(SDR) family but has not been shown to have retinoid or dehydrogenase activities. [provided


by RefSeq]

Synonyms: RDHS; SDR-O; SDRO
Protein Families: Druggable Genome






## **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY SDR9C7 ([RC210941], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-SDR9C7. Positive lysates [LY407754] (100ug) and [LC407754] (20ug) can be purchased separately from OriGene.



HEK293T cells transfected with either [RC210941] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-SDR9C7 antibody ([TA502013]), and then analyzed by flow cytometry.