

## **Product datasheet for TA502049**

## 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436

OriGene Technologies, Inc.

Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## **PUS7 Mouse Monoclonal Antibody [Clone ID: OTI4A2]**

**Product data:** 

**Product Type:** Primary Antibodies

Clone Name: OTI4A2

Applications: WB

Recommended Dilution: WB 1:500~2000

Reactivity: Human, Monkey, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human PUS7 (NP\_061915) produced in HEK293T

cell

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 74.9 kDa

**Gene Name:** pseudouridine synthase 7

Database Link: NP 061915

Entrez Gene 78697 MouseEntrez Gene 296751 RatEntrez Gene 697463 MonkeyEntrez Gene

<u>54517 Human</u>


Q96PZ0

**Synonyms:** FLJ20485; KIAA1897; MGC17720







## **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY PUS7 ([RC203902], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-PUS7. Positive lysates [LY412749] (100ug) and [LC412749] (20ug) can be purchased separately from OriGene.



Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-PUS7 monoclonal antibody.



Equivalent amounts of cell lysates (10 ug per lane) of wild-type HeLa cells (WT, Cat# LC810HELA) and PUS7-Knockout HeLa cells (KO, Cat# [LC833095] ) were separated by SDS-PAGE and immunoblotted with anti-PUS7 monoclonal antibody TA502049 (1:500`). Then the blotted membrane was stripped and reprobed with anti-PCNA antibody as a loading control.