

Product datasheet for TA502073AM

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

RASD2 Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI1D11]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI1D11
Applications: FC, WB

Recommended Dilution: WB 1:1000~2000, FLOW 1:100

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG2a

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human RASD2 (NP_055125) produced in HEK293T

cell

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 0.5 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Biotin

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 30.2 kDa

Gene Name: RASD family member 2

Database Link: NP 055125

Entrez Gene 75141 MouseEntrez Gene 171099 RatEntrez Gene 23551 Human

O96D21

Background: This gene encodes a Ras-related protein that enriched in striatum. The product of this gene

binds to GTP and possesses intrinsic GTPase activity. The gene belongs to the Ras

superfamily of small GTPases. The exact function of this gene is unknown, but most striatum-specific mRNAs characterized to date encode components of signal transduction cascades.

[provided by RefSeq]







Synonyms: MGC:4834; Rhes; TEM2

Protein Families: Druggable Genome


Product images:




HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY RASD2 ([RC201454], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-RASD2. Positive lysates [LY415366] (100ug) and [LC415366] (20ug) can be purchased separately from OriGene.



Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-RASD2 monoclonal antibody.



Flow cytometric Analysis of Hela cells, using anti-RASD2 antibody ([TA502073]), (Red), compared to a nonspecific negative control antibody (TA50011), (Blue).



Flow cytometric Analysis of Jurkat cells, using anti-RASD2 antibody ([TA502073]), (Red), compared to a nonspecific negative control antibody (TA50011), (Blue).