

## **Product datasheet for TA502153AM**

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## CALCOCO2 Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI6E8]

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI6E8

**Applications:** FC, IF, WB

Recommended Dilution: WB 1:2000, IF 1:100

Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human CALCOCO2 (NP\_005822) produced in

HEK293T cell.

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

**Concentration:** 0.5 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

**Conjugation:** Biotin

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 52.1 kDa

**Gene Name:** calcium binding and coiled-coil domain 2

Database Link: NP 005822

Entrez Gene 10241 Human

Q13137

**Background:** The protein encoded by this gene is a subunit of nuclear domain 10 (ND10) bodies. ND10

bodies are nuclear domains appearing immunohistochemically as ten dots per nucleus. They are believed to be associated with the nuclear matrix on the basis of their resistance to nuclease digestion and salt extraction. ND10 proteins are removed from the nucleus by herpes simplex virus-1 infection and may have a role in viral life cycles. [provided by RefSeq].


COMPLETENESS: complete on the 3' end.






Synonyms: NDP52

# **Product images:**




HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY CALCOCO2 ([RC203843], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-CALCOCO2 (1:2000).



Immunofluorescent staining of 293T cells transfected by pCMV6-ENTRY CALCOCO2 ([RC203843]) using anti-CALCOCO2 antibody ([TA502153]/green, upper left; DAPI/blue, lower left; MERGED, upper right). 293T cells transfected with empty vector served as a negative control (MERGED, lower right) (1:100).





Flow cytometric analysis of living 293T cells transfected with CALCOCO2 overexpression plasmid ([RC203843]), Red)/empty vector ([PS100001], Blue) using anti-CALCOCO2 antibody ([TA502153]). Cells incubated with a non-specific antibody (Green) were used as isotype control (1:100).