

Product datasheet for TA502162S

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

VSIG2 Mouse Monoclonal Antibody [Clone ID: OTI11B3]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI11B3
Applications: FC, IF, WB

Recommended Dilution: WB 1:500~2000, IF 1:100, FLOW 1:100

Reactivity: Human
Host: Mouse
Isotype: IgG2b

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human VSIG2 (NP_055127) produced in HEK293T

cell.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 0.35 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 34.2 kDa

Gene Name: V-set and immunoglobulin domain containing 2

Database Link: NP 055127

Entrez Gene 23584 Human


Q96IQ7

Synonyms: 2210413P10Rik; CTH; CTXL


Protein Families: Druggable Genome, Transmembrane




Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY VSIG2 ([RC200170], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-VSIG2. Positive lysates [LY415368] (100ug) and [LC415368] (20ug) can be purchased separately from OriGene.




Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-VSIG2 monoclonal antibody.



Anti-VSIG2 mouse monoclonal antibody ([TA502162]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY VSIG2 ([RC200170]).





HEK293T cells transfected with either [RC200170] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-VSIG2 antibody ([TA502162]), and then analyzed by flow cytometry.