

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Product datasheet for TA502207M

## Dystrobrevin alpha (DTNA) Mouse Monoclonal Antibody [Clone ID: OTI1A2]

### **Product data:**

Product Type:	Primary Antibodies		
Clone Name:	OTI1A2		
Applications:	FC, IF, WB		
Recommended Dilution:	WB 1:2000, IF 1:100, FLOW 1:100		
Reactivity:	Human, Mouse, Rat		
Host:	Mouse		
lsotype:	lgG2a		
Clonality:	Monoclonal		
Immunogen:	Full length human recombinant protein of human DTNA (NP_116761) produced in HEK293T cell.		
Formulation:	PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.		
Concentration:	0.66 mg/ml		
Purification:	Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)		
Conjugation:	Unconjugated		
Storage:	Store at -20°C as received.		
Stability:	Stable for 12 months from date of receipt.		
Predicted Protein Size:	58.7 kDa		
Gene Name:	dystrobrevin alpha		
Database Link:	<u>NP 116761</u> <u>Entrez Gene 1837 Human</u> <u>Q9Y4J8</u>		



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

# **Dystrobrevin alpha (DTNA) Mouse Monoclonal Antibody [Clone ID: OTI1A2] - TA502207MBackground:**The protein encoded by this gene belongs to the dystrobrevin subfamily of the dystrophin<br/>family. This protein is a component of the dystrophin-associated protein complex (DPC),<br/>which consists of dystrophin and several integral and peripheral membrane proteins,<br/>including dystroglycans, sarcoglycans, syntrophins and alpha- and beta-dystrobrevin. The<br/>DPC localizes to the sarcolemma and its disruption is associated with various forms of<br/>muscular dystrophy. Mutations in this gene are associated with left ventricular<br/>noncompaction with congenital heart defects. Multiple alternatively spliced transcript<br/>variants encoding different isoforms have been identified for this gene. [provided by RefSeq]

Synonyms: D18S892E; DRP3; DTN; DTN-A; LVNC1


Protein Families:

Druggable Genome

### **Product images:**


170	_	
130	_	
100	_	
70	_	
55	_	
40	_	
35	_	
25	-	
15	-	
10	_	

HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY DTNA ([RC223952], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-DTNA. Positive lysates [LY409817] (100ug) and [LC409817] (20ug) can be purchased separately from OriGene.



Anti-DTNA mouse monoclonal antibody ([TA502207]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY DTNA ([RC223952]).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



HEK293T cells transfected with either [RC223952] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-DTNA antibody ([TA502207]), and then analyzed by flow cytometry.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US