

## **Product datasheet for TA502239M**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# **SQSTM1 Mouse Monoclonal Antibody [Clone ID: OTI6A7]**

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI6A7

Applications: FC, IF, WB

**Recommended Dilution:** WB 1:500~2000, IF 1:100, FLOW 1:100

Reactivity: Human
Host: Mouse
Isotype: IgG2a

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human SQSTM1 (NP\_003891) produced in

HEK293T cell.

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 47.5 kDa

**Gene Name:** sequestosome 1

Database Link: NP 003891

Entrez Gene 8878 Human

Q13501

**Background:** This gene encodes a multifunctional protein that binds ubiquitin and regulates activation of

the nuclear factor kappa-B (NF-kB) signaling pathway. The protein functions as a

scaffolding/adaptor protein in concert with TNF receptor-associated factor 6 to mediate activation of NF-kB in response to upstream signals. Alternatively spliced transcript variants encoding either the same or different isoforms have been identified for this gene. Mutations in this gene result in sporadic and familial Paget disease of bone. [provided by RefSeq]





**Synonyms:** A170; OSIL; p60; p62; p62B; PDB3; ZIP3

**Protein Families:** Druggable Genome, Transcription Factors

### **Product images:**






Figure A, Western blot analysis of overexpressed lysates (25ug per lane) from HEK293T cells transfected with empty plasmid ([PS100001], NC), human SQSTM1 plasmid ([RC203214], hSQSTM1), mouse SQSTM1 plasmid ([MR226105], mSQSTM1), mouse SQSTM1 plasmid ([MR206359], mSQSTM1) using anti-SQSTM1 antibody [TA502239] (1:500). Figure B, Western blot analysis of the same samples as figure A with anti-DDK antibody ([TA180144], 1:1000)




Anti-SQSTM1 mouse monoclonal antibody ([TA502239]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY SQSTM1 ([RC203214]).



Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-SQSTM1 monoclonal antibody.





HEK293T cells transfected with either [RC203214] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-SQSTM1 antibody ([TA502239]), and then analyzed by flow cytometry.




Figure from citation: Western Blot of SQSTM1 (p62) protein level by using anti-SQSTM1 antibody in human HEp-2 cell lysates. <u>View Citation</u>