

Product datasheet for TA502244M

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Hsp40 (DNAJB1) Mouse Monoclonal Antibody [Clone ID: OTI1G4]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI1G4
Applications: FC, IF, WB

Recommended Dilution: WB 1:500~2000, IF 1:100, FLOW 1:100

Reactivity: Human, Dog, Monkey, Mouse, Rat

Host: Mouse Isotype: IgG2a

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human DNAJB1 (NP_006136) produced in HEK293T

cell

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 0.97 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 37.9 kDa

Gene Name: DnaJ heat shock protein family (Hsp40) member B1

Database Link: NP 006136

Entrez Gene 81489 MouseEntrez Gene 361384 RatEntrez Gene 476688 DogEntrez Gene

718890 MonkeyEntrez Gene 3337 Human


P25685

Synonyms: Hdj1; Hsp40; HSPF1; RSPH16B; Sis1







Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY DNAJB1 ([RC201762], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-DNAJB1. Positive lysates [LY401851] (100ug) and [LC401851] (20ug) can be purchased separately from OriGene.




Equivalent amounts of cell lysates (30 ug per lane) of wild-type HeLa cells (WT) and DNAJB1-Knockdown HeLa cells (KD) were separated by SDS-PAGE and immunoblotted with anti-DNAJB1 monoclonal antibody [TA502244] (1:5000). Then the blotted membrane was stripped and reprobed with anti-HSP90AA1 antibody as a loading control.




Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-DNAJB1 monoclonal antibody.







Equivalent amounts of cell lysates (10 ug per lane) of wild-type 293T cells (WT, Cat# LC810293T) and DNAJB1-Knockout 293T cells (KO, Cat# [LC811758]) were separated by SDS-PAGE and immunoblotted with anti-DNAJB1 monoclonal antibody [TA502244], (1:500). Then the blotted membrane was stripped and reprobed with anti-HSP90AB1 antibody ([TA500494]) as a loading control.



Anti-DNAJB1 mouse monoclonal antibody ([TA502244]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY DNAJB1 ([RC201762]).



HEK293T cells transfected with either [RC201762] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-DNAJB1 antibody ([TA502244]), and then analyzed by flow cytometry.



Flow cytometric Analysis of Hela cells, using anti-DNAJB1 antibody ([TA502244]), (Red), compared to a nonspecific negative control antibody (TA50011), (Blue).