

Product datasheet for TA502247BM

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Gephyrin (GPHN) Mouse Monoclonal Antibody (HRP conjugated) [Clone ID: OTI3C6]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI3C6

Applications: FC, IHC, WB

Recommended Dilution: WB 1:1000~2000, IHC 1:150, FLOW 1:100

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG2a

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human GPHN (NP_065857) produced in HEK293T

cell.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol.

Concentration: 0.5 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: HRP

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 83.3 kDa

Gene Name: gephyrin

Database Link: NP 065857

Entrez Gene 64845 RatEntrez Gene 268566 MouseEntrez Gene 10243 Human

O9NOX3



Gephyrin (GPHN) Mouse Monoclonal Antibody (HRP conjugated) [Clone ID: OTI3C6] – TA502247BM


Background:

This gene encodes a neuronal assembly protein that anchors inhibitory neurotransmitter receptors to the postsynaptic cytoskeleton via high affinity binding to a receptor subunit domain and tubulin dimers. In nonneuronal tissues, the encoded protein is also required for molybdenum cofactor biosynthesis. Mutations in this gene may be associated with the neurological condition hyperplexia and also lead to molybdenum cofactor deficiency. Numerous alternatively spliced transcript variants encoding different isoforms have been described; however, the full-length nature of all transcript variants is not currently known. [provided by RefSeq]


Synonyms: GEPH; GPH; GPHRYN; HKPX1; MOCODC

Protein Families: Druggable Genome

Product images:




HEK293T cells transfected with either [RC205986] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-GPHN antibody ([TA502247]), and then analyzed by flow cytometry.




Flow cytometric Analysis of Hela cells, using anti-GPHN antibody ([TA502247]), (Red), compared to a nonspecific negative control antibody (TA50011), (Blue).






Immunohistochemical staining of paraffinembedded Human lymphoma tissue using anti-GPHN mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA502247])




Immunohistochemical staining of paraffinembedded Human lymph node tissue within the normal limits using anti-GPHN mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA502247])




Immunohistochemical staining of paraffinembedded Carcinoma of Human prostate tissue using anti-GPHN mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA502247])






Immunohistochemical staining of paraffinembedded Human prostate tissue within the normal limits using anti-GPHN mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA502247])




Immunohistochemical staining of paraffinembedded Human Kidney tissue within the normal limits using anti-GPHN mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA502247])




Immunohistochemical staining of paraffinembedded Adenocarcinoma of Human colon tissue using anti-GPHN mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA502247])

ORÏGENE

Gephyrin (GPHN) Mouse Monoclonal Antibody (HRP conjugated) [Clone ID: OTI3C6] – TA502247BM





HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY GPHN (Cat# [RC205986], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-GPHN(Cat# [TA502247]). Positive lysates [LY402806] (100ug) and [LC402806] (20ug) can be purchased separately from OriGene.

Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-GPHN monoclonal antibody.