

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Product datasheet for TA502278BM

## MMAA Mouse Monoclonal Antibody (HRP conjugated) [Clone ID: OTI3A3]

#### **Product data:**

| Product Type:           | Primary Antibodies   |
|-------------------------|--|
| Clone Name:             | OTI3A3   |
| Applications:           | IHC, WB  |
| Recommended Dilution:   | WB 1:200~500, IHC 1:150  |
| Reactivity:             | Human  |
| Host:                   | Mouse  |
| lsotype:                | lgG1   |
| Clonality:              | Monoclonal   |
| Immunogen:              | Full length human recombinant protein of human MMAA (NP_785454) produced in HEK293T<br>cell.   |
| Formulation:            | PBS (pH 7.3) containing 1% BSA, 50% glycerol.  |
| Concentration:          | 0.5 mg/ml  |
| Purification:           | Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography<br>(protein A/G)   |
| Conjugation:            | HRP  |
| Storage:                | Store at -20°C as received.  |
| Stability:              | Stable for 12 months from date of receipt.   |
| Predicted Protein Size: | 39.0 kDa   |
| Gene Name:              | metabolism of cobalamin associated A   |
| Database Link:          | <u>NP_758454</u><br><u>Entrez Gene 166785 Human</u><br><u>Q8IVH4</u>   |
| Background:             | The protein encoded by this gene is involved in the translocation of cobalamin into the mitochondrion, where it is used in the final steps of adenosylcobalamin synthesis.<br>Adenosylcobalamin is a coenzyme required for the activity of methylmalonyl-CoA mutase.<br>Defects in this gene are a cause of methylmalonic aciduria. [provided by RefSeq] |
| Synonyms:               | cbIA   |



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US **Protein Families:** 


Druggable Genome

## **Product images:**

158-106-79-

48-


35-23-



HepG2 HeLa HT29 A549 COS7 Jurkat MDCK PC12 MCF7

HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY MMAA ([RC223205], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-MMAA. Positive lysates [LY403540] (100ug) and [LC403540] (20ug) can be purchased separately from OriGene.

Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-MMAA monoclonal antibody.



Immunohistochemical staining of paraffinembedded Human Kidney tissue within the normal limits using anti-MMAA mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA502278])

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US