

## **Product datasheet for TA502312S**

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### Gephyrin (GPHN) Mouse Monoclonal Antibody [Clone ID: OTI3A6]

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI3A6
Applications: FC, WB

**Recommended Dilution:** WB 1:500~2000, FLOW 1:100

**Reactivity:** Human, Rat, Monkey, Mouse

Host: Mouse IgG2a

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human GPHN (NP\_065857) produced in HEK293T

cell

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

**Concentration:** 1 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

**Conjugation:** Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

Predicted Protein Size: 83.3 kDa

Gene Name: gephyrin

Database Link: NP 065857

Entrez Gene 64845 RatEntrez Gene 268566 MouseEntrez Gene 709677 MonkeyEntrez Gene

<u>10243 Human</u>

Q9NQX3






#### Background:

This gene encodes a neuronal assembly protein that anchors inhibitory neurotransmitter receptors to the postsynaptic cytoskeleton via high affinity binding to a receptor subunit domain and tubulin dimers. In nonneuronal tissues, the encoded protein is also required for molybdenum cofactor biosynthesis. Mutations in this gene may be associated with the neurological condition hyperplexia and also lead to molybdenum cofactor deficiency. Numerous alternatively spliced transcript variants encoding different isoforms have been described; however, the full-length nature of all transcript variants is not currently known. [provided by RefSeq, Jul 2008]


**Synonyms:** GEPH; GPH; GPHRYN; HKPX1; MOCODC

**Protein Families:** Druggable Genome

# **Product images:**





HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY GPHN ([RC205986], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-GPHN. Positive lysates [LY402806] (100ug) and [LC402806] (20ug) can be purchased separately from OriGene.




Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-GPHN monoclonal antibody (HepG2: human; HeLa: human; SVT2: mouse; A549: human; COS7: monkey; Jurkat: human; MDCK: canine; PC12: rat; MCF7: human).









Flow cytometric Analysis of Hela cells, using anti-GPHN antibody ([TA502312]), (Red), compared to a nonspecific negative control antibody, (Blue).