

## **Product datasheet for TA502393**

## 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436

OriGene Technologies, Inc.

Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## ACY3 Mouse Monoclonal Antibody [Clone ID: OTI4H7]

**Product data:** 

**Product Type:** Primary Antibodies

Clone Name: OTI4H7

**Applications:** FC, IHC, WB

**Recommended Dilution:** WB 1:1000~2000, IHC 1:150, FLOW 1:100

Reactivity: Human, Dog, Monkey

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human ACY3 (NP\_542389) produced in HEK293T

cell

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

**Concentration:** 0.56 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 35.1 kDa

**Gene Name:** aminoacylase 3

Database Link: NP 542389

Entrez Gene 100683126 DogEntrez Gene 711083 MonkeyEntrez Gene 91703 Human

Q96HD9


Synonyms: ACY-3; HCBP1

**Protein Pathways:** Alanine, aspartate and glutamate metabolism, Histidine metabolism







## **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY ACY3 ([RC202287], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-ACY3. Positive lysates [LY408962] (100ug) and [LC408962] (20ug) can be purchased separately from OriGene.




Immunohistochemical staining of paraffinembedded Human prostate tissue within the normal limits using anti-ACY3 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, TA502393)



Immunohistochemical staining of paraffinembedded Carcinoma of Human prostate tissue using anti-ACY3 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, TA502393)





HEK293T cells transfected with either [RC202287] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-ACY3 antibody (TA502393), and then analyzed by flow cytometry.