

## Product datasheet for **TA502539S**


### **UBXN2B Mouse Monoclonal Antibody [Clone ID: OTI3H8]**

#### **Product data:**


|                         |   |
|-------------------------|---|
| Product Type:           | Primary Antibodies  |
| Clone Name:             | OTI3H8  |
| Applications:           | FC, WB  |
| Recommended Dilution:   | WB 1:1000~2000, FLOW 1:100  |
| Reactivity:             | Human, Dog, Monkey, Mouse, Rat  |
| Host:                   | Mouse   |
| Isotype:                | IgG1  |
| Clonality:              | Monoclonal  |
| Immunogen:              | Full length human recombinant protein of human UBXN2B (NP_001071087) produced in HEK293T cell.  |
| Formulation:            | PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.  |
| Concentration:          | 1 mg/ml   |
| Purification:           | Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)   |
| Conjugation:            | Unconjugated  |
| Storage:                | Store at -20°C as received.   |
| Stability:              | Stable for 12 months from date of receipt.  |
| Predicted Protein Size: | 36.9 kDa  |
| Gene Name:              | UBX domain protein 2B   |
| Database Link:          | <a href="#">NP_001071087</a><br><a href="#">Entrez Gene 477891 Dog</a> <a href="#">Entrez Gene 698001 Monkey</a> <a href="#">Entrez Gene 137886 Human</a><br><a href="#">Q14CS0</a> |
| Synonyms:               | p37   |




[View online »](#)

**Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY UBXN2B ([RC219137], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-UBXN2B. Positive lysates [LY421462] (100ug) and [LC421462] (20ug) can be purchased separately from OriGene.



Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-UBXN2B monoclonal antibody.



Western blot analysis of extracts (10ug) from 10 Human tissue by using anti-UBXN2B monoclonal antibody at 1:200 (1: Testis; 2: Omentum; 3: Uterus; 4: Breast; 5: Brain; 6: Liver; 7: Ovary; 8: Thyroid gland; 9: colon; 10: spleen).



HEK293T cells transfected with either [RC219137] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-UBXN2B antibody ([TA502539]), and then analyzed by flow cytometry.