

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for TA502601BM

ANKRD53 Mouse Monoclonal Antibody (HRP conjugated) [Clone ID: OTI1E1]


Product data:

Product Type:	Primary Antibodies
Clone Name:	OTI1E1
Applications:	FC, IF, IHC, WB
Recommended Dilution:	WB 1:500~2000, IHC 1:150, IF 1:100, FLOW 1:100
Reactivity:	Human
Host:	Mouse
lsotype:	lgG2b
Clonality:	Monoclonal
Immunogen:	Human recombinant protein fragment corresponding to amino acids 1-300 of human ANKRD53 (NP_079209) produced in E.coli.
Formulation:	PBS (pH 7.3) containing 1% BSA, 50% glycerol.
Concentration:	0.5 mg/ml
Purification:	Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)
Conjugation:	HRP
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	38 kDa
Gene Name:	ankyrin repeat domain 53
Database Link:	<u>NP_079209</u> <u>Entrez Gene 79998 Human</u> <u>Q8N9V6</u>
Synonyms:	FLJ12056; FLJ36160






Product images:




HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY ANKRD53 (Cat# [RC206701], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-ANKRD53(Cat# [TA502601]). Positive lysates [LY410969] (100ug) and [LC410969] (20ug) can be purchased separately from OriGene.




Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-ANKRD53 monoclonal antibody.

Immunohistochemical staining of paraffinembedded Human lymph node tissue within the normal limits using anti-ANKRD53 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA502601])




Immunohistochemical staining of paraffinembedded Human lymphoma tissue using anti-ANKRD53 mouse monoclonal antibody. (Heatinduced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA502601])

Anti-ANKRD53 mouse monoclonal antibody ([TA502601]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY ANKRD53 ([RC206701]).



HEK293T cells transfected with either [RC206701] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-ANKRD53 antibody ([TA502601]), and then analyzed by flow cytometry.



Flow cytometric Analysis of Hela cells, using anti-ANKRD53 antibody ([TA502601]), (Red), compared to a nonspecific negative control antibody (TA50011), (Blue).

Flow cytometric Analysis of Jurkat cells, using anti-ANKRD53 antibody ([TA502601]), (Red), compared to a nonspecific negative control antibody (TA50011), (Blue).