

Product datasheet for TA502601S

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

ANKRD53 Mouse Monoclonal Antibody [Clone ID: OTI1E1]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI1E1

Applications: FC, IF, IHC, WB

Recommended Dilution: WB 1:500~2000, IHC 1:150, IF 1:100, FLOW 1:100

Reactivity: Human
Host: Mouse
Isotype: IgG2b

Clonality: Monoclonal

Immunogen: Human recombinant protein fragment corresponding to amino acids 1-300 of human

ANKRD53 (NP_079209) produced in E.coli.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 0.58 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 38 kDa

Gene Name: ankyrin repeat domain 53

Database Link: NP 079209

Entrez Gene 79998 Human


Q8N9V6

Synonyms: FLJ12056; FLJ36160






Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY ANKRD53 (Cat# [RC206701], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-ANKRD53(Cat# [TA502601]). Positive lysates [LY410969] (100ug) and [LC410969] (20ug) can be purchased separately from OriGene.




Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-ANKRD53 monoclonal antibody.




Immunohistochemical staining of paraffinembedded Human lymph node tissue within the normal limits using anti-ANKRD53 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA502601])






Immunohistochemical staining of paraffinembedded Human lymphoma tissue using anti-ANKRD53 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA502601])




Anti-ANKRD53 mouse monoclonal antibody ([TA502601]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY ANKRD53 ([RC206701]).




HEK293T cells transfected with either [RC206701] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-ANKRD53 antibody ([TA502601]), and then analyzed by flow cytometry.





Flow cytometric Analysis of Hela cells, using anti-ANKRD53 antibody ([TA502601]), (Red), compared to a nonspecific negative control antibody (TA50011), (Blue).



Flow cytometric Analysis of Jurkat cells, using anti-ANKRD53 antibody ([TA502601]), (Red), compared to a nonspecific negative control antibody (TA50011), (Blue).