

## Product datasheet for TA502609BM

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## **OGFOD1 Mouse Monoclonal Antibody (HRP conjugated) [Clone ID: OTI1D9]**

**Product data:** 

**Product Type:** Primary Antibodies

Clone Name: OTI1D9

**Applications:** FC, IF, IHC, WB

**Recommended Dilution:** WB 1:2000, IHC 1:150, IF 1:100, FLOW 1:100

Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human OGFOD1 (NP\_060703) produced in

HEK293T cell.

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol.

**Concentration:** 0.5 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: HRP

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 63.1 kDa

Gene Name: 2-oxoglutarate and iron dependent oxygenase domain containing 1

Database Link: NP 060703

Entrez Gene 55239 Human


Q8N543

Synonyms: TPA1







## **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY OGFOD1 ([RC206839], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-OGFOD1. Positive lysates [LY413213] (100ug) and [LC413213] (20ug) can be purchased separately from OriGene.




Immunohistochemical staining of paraffinembedded Human Kidney tissue within the normal limits using anti-OGFOD1 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA502609])




Immunohistochemical staining of paraffinembedded Human prostate tissue within the normal limits using anti-OGFOD1 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA502609])







Anti-OGFOD1 mouse monoclonal antibody ([TA502609]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY OGFOD1 ([RC206839]).



Immunofluorescent staining of HeLa cells using anti-OGFOD1 mouse monoclonal antibody ([TA502609]).



Flow cytometric Analysis of Hela cells, using anti-OGFOD1 antibody ([TA502609]), (Red), compared to a nonspecific negative control antibody, (Blue).



Flow cytometric Analysis of Jurkat cells, using anti-OGFOD1 antibody ([TA502609]), (Red), compared to a nonspecific negative control antibody, (Blue).