

Product datasheet for TA502631

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

UBXN2B Mouse Monoclonal Antibody [Clone ID: OTI1F7]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI1F7

Applications: FC, IHC, WB

Recommended Dilution: WB 1:2000, IHC 1:150, FLOW 1:100

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human UBXN2B (NP_001071087) produced in

HEK293T cell.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 0.41 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 36.9 kDa

Gene Name: UBX domain protein 2B

Database Link: NP 001071087

Entrez Gene 137886 Human


Q14CS0

Synonyms: p37






Product images:




HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY UBXN2B (Cat# [RC219137], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-UBXN2B(Cat# TA502631). Positive lysates [LY421462] (100ug) and [LC421462] (20ug) can be purchased separately from OriGene.




Immunohistochemical staining of paraffinembedded Human lymph node tissue within the normal limits using anti-UBXN2B mouse monoclonal antibody. Heat-induced epitope retrieval by EDTA solution buffer pH 8.0 at 120°C for 3 min.







Immunohistochemical staining of paraffinembedded Human lymphoma tissue using anti-UBXN2B mouse monoclonal antibody. Heat-induced epitope retrieval by EDTA solution buffer pH 8.0 at 120°C for 3 min.



HEK293T cells transfected with either [RC219137] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-UBXN2B antibody (TA502631), and then analyzed by flow cytometry.



Flow cytometric Analysis of Hela cells, using anti-UBXN2B antibody (TA502631), (Red), compared to a nonspecific negative control antibody (TA50011), (Blue).



Flow cytometric Analysis of Jurkat cells, using anti-UBXN2B antibody (TA502631), (Red), compared to a nonspecific negative control antibody (TA50011), (Blue).