

## Product datasheet for TA502657M

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# NDUFA7 Mouse Monoclonal Antibody [Clone ID: OTI2E3]

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI2E3

**Applications:** FC, IF, WB

Recommended Dilution: WB 1:2000, IF 1:100, FLOW 1:100

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human NDUFA7 (NP\_004992) produced in

HEK293T cell.

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

**Concentration:** 0.53 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 12.4 kDa

**Gene Name:** NADH:ubiquinone oxidoreductase subunit A7

Database Link: NP 004992

Entrez Gene 66416 MouseEntrez Gene 299643 RatEntrez Gene 4701 Human

095182

Synonyms: B14.5a; CI-B14.5a


**Protein Pathways:** Alzheimer's disease, Huntington's disease, Metabolic pathways, Oxidative phosphorylation,

Parkinson's disease







# **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY NDUFA7 ([RC200534], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-NDUFA7. Positive lysates [LY417603] (100ug) and [LC417603] (20ug) can be purchased separately from OriGene.





Anti-NDUFA7 mouse monoclonal antibody ([TA502657]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY NDUFA7 ([RC200534]).




HEK293T cells transfected with either [RC200534] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-NDUFA7 antibody ([TA502657]), and then analyzed by flow cytometry.









Flow cytometric Analysis of Jurkat cells, using anti-NDUFA7 antibody ([TA502657]), (Red), compared to a nonspecific negative control antibody (TA50011), (Blue).