

Product datasheet for TA502658AM

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

NDUFA7 Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI2G4]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI2G4
Applications: FC, IF, WB

Recommended Dilution: WB 1:500~2000, IF 1:100, FLOW 1:100

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human NDUFA7 (NP_004992) produced in

HEK293T cell.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 0.5 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Biotin

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 12.4 kDa

Gene Name: NADH:ubiquinone oxidoreductase subunit A7

Database Link: NP 004992

Entrez Gene 66416 MouseEntrez Gene 299643 RatEntrez Gene 4701 Human

<u>095182</u>

Synonyms: B14.5a; CI-B14.5a


Protein Pathways: Alzheimer's disease, Huntington's disease, Metabolic pathways, Oxidative phosphorylation,

Parkinson's disease







Product images:




HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY NDUFA7 (Cat# [RC200534], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-NDUFA7 (Cat# [TA502658]). Positive lysates [LY417603] (100ug) and [LC417603] (20ug) can be purchased separately from OriGene.




Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-NDUFA7 monoclonal antibody.




Anti-NDUFA7 mouse monoclonal antibody ([TA502658]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY NDUFA7 ([RC200534]).



HEK293T cells transfected with either [RC200534] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-NDUFA7 antibody ([TA502658]), and then analyzed by flow cytometry.



Flow cytometric Analysis of Hela cells, using anti-NDUFA7 antibody ([TA502658]), (Red), compared to a nonspecific negative control antibody (TA50011), (Blue).



Flow cytometric Analysis of Jurkat cells, using anti-NDUFA7 antibody ([TA502658]), (Red), compared to a nonspecific negative control antibody (TA50011), (Blue).