

Product datasheet for TA502684M

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

RNF156 (MGRN1) Mouse Monoclonal Antibody [Clone ID: OTI3C3]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI3C3
Applications: FC, IF, WB

Recommended Dilution: WB 1:500~2000, IF 1:100, FLOW 1:100

Reactivity: Human, Monkey, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human MGRN1 (NP_056061) produced in HEK293T

cell

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 0.63 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 63 kDa

Gene Name: mahogunin ring finger 1

Database Link: NP 056061

Entrez Gene 709272 MonkeyEntrez Gene 23295 Human

<u>O60291</u>

Background: Mahogunin (MGRN1) is a C3HC4 RING-containing protein with E3 ubiquitin ligase activity in

vitro. [supplied by OMIM]


Synonyms: RNF156


Protein Pathways: Ubiquitin mediated proteolysis






Product images:









HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY MGRN1 (Cat# [RC208284], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-MGRN1(Cat# [TA502684]). Positive lysates [LY414714] (100ug) and [LC414714] (20ug) can be purchased separately from OriGene.

Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-MGRN1 monoclonal antibody.


Anti-MGRN1 mouse monoclonal antibody ([TA502684]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY MGRN1 ([RC208284]).



HEK293T cells transfected with either [RC208284] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-MGRN1 antibody ([TA502684]), and then analyzed by flow cytometry.



Flow cytometric Analysis of Hela cells, using anti-MGRN1 antibody ([TA502684]), (Red), compared to a nonspecific negative control antibody (TA50011), (Blue).



Flow cytometric Analysis of Jurkat cells, using anti-MGRN1 antibody ([TA502684]), (Red), compared to a nonspecific negative control antibody (TA50011), (Blue).