

# **Product datasheet for TA502708**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## PDLIM2 Mouse Monoclonal Antibody [Clone ID: OTI10C4]

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI10C4
Applications: IF, IHC, WB

**Recommended Dilution:** WB 1:500~2000, IHC 1:150, IF 1:100

Reactivity: Human, Dog, Monkey

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human PDLIM2(NP\_067643) produced in HEK293T

cell

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

**Concentration:** 0.44 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 37.3 kDa

**Gene Name:** PDZ and LIM domain 2

Database Link: NP 067643

Entrez Gene 486123 DogEntrez Gene 708652 MonkeyEntrez Gene 64236 Human


Q96JY6

Synonyms: MYSTIQUE; SLIM






## **Product images:**




HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY PDLIM2 (Cat# [RC210022], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-PDLIM2(Cat# TA502708). Positive lysates [LY411957] (100ug) and [LC411957] (20ug) can be purchased separately from OriGene.




Western blot analysis of extracts (30ug per lane) from 8 cell lines lysates by using anti-PDLIM2 monoclonal antibody (TA502708, 1:2000).





Immunohistochemical staining of paraffinembedded Human tonsil within the normal limits using anti-PDLIM2 mouse monoclonal antibody. Heat-induced epitope retrieval by EDTA solution buffer pH 8.0 at 120°C for 3 min.



Anti-PDLIM2 mouse monoclonal antibody (TA502708) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY PDLIM2 ([RC210022]).