

Product datasheet for TA502793

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PRKAR1B Mouse Monoclonal Antibody [Clone ID: OTI9C5]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI9C5

Applications: FC, IF, WB

Recommended Dilution: WB 1:2000, IF 1:100, FLOW 1:100

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human PRKAR1B (NP_002726) produced in

HEK293T cell.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 0.17 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 42.9 kDa

Gene Name: protein kinase cAMP-dependent type I regulatory subunit beta

Database Link: NP 002726

Entrez Gene 19085 MouseEntrez Gene 25521 RatEntrez Gene 5575 Human

P31321

Background: Cyclic AMP-dependent protein kinase A (PKA) is an essential enzyme in the signaling pathway

of the second messenger cAMP. Through phosphorylation of target proteins, PKA controls many biochemical events in the cell including regulation of metabolism, ion transport, and gene transcription. The PKA holoenzyme is composed of 2 regulatory and 2 catalytic subunits and dissociates from the regulatory subunits upon binding of cAMP. [supplied by OMIM]




Synonyms: PRKAR1


Protein Families: Druggable Genome

Protein Pathways: Apoptosis, Insulin signaling pathway


Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY PRKAR1B ([RC207809], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-PRKAR1B. Positive lysates [LY400964] (100ug) and [LC400964] (20ug) can be purchased separately from OriGene.





Anti-PRKAR1B mouse monoclonal antibody (TA502793) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY PRKAR1B ([RC207809]).




HEK293T cells transfected with either [RC207809] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-PRKAR1B antibody (TA502793), and then analyzed by flow cytometry.









Flow cytometric Analysis of Jurkat cells, using anti-PRKAR1B antibody (TA502793), (Red), compared to a nonspecific negative control antibody (TA50011), (Blue).