

Product datasheet for TA502876S

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PLEKHA3 Mouse Monoclonal Antibody [Clone ID: OTI6E4]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI6E4

Applications: FC, IHC, WB

Recommended Dilution: WB 1:2000, IHC 1:150, FLOW 1:100

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG2a

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human PLEKHA3 (NP_061964) produced in

HEK293T cell.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 33.7 kDa

Gene Name: pleckstrin homology domain containing A3

Database Link: NP 061964

Entrez Gene 83435 MouseEntrez Gene 295674 RatEntrez Gene 65977 Human


O9HB20

Synonyms: FAPP1







Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY PLEKHA3 ([RC208433], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-PLEKHA3. Positive lysates [LY402733] (100ug) and [LC402733] (20ug) can be purchased separately from OriGene.




Immunohistochemical staining of paraffinembedded Adenocarcinoma of Human colon tissue using anti-PLEKHA3 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA502876])




Immunohistochemical staining of paraffinembedded Carcinoma of Human lung tissue using anti-PLEKHA3 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA502876])





Immunohistochemical staining of paraffinembedded Human lymph node tissue within the normal limits using anti-PLEKHA3 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA502876])



Flow cytometric Analysis of Jurkat cells, using anti-PLEKHA3 antibody ([TA502876]), (Red), compared to a nonspecific negative control antibody, (Blue).