

Product datasheet for TA502927M

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PLEKHA3 Mouse Monoclonal Antibody [Clone ID: OTI5D11]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI5D11

Applications: FC, IF, IHC, WB

Recommended Dilution: WB 1:2000, IHC 1:150, IF 1:100, FLOW 1:100

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG2b

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human PLEKHA3 (NP_061964) produced in

HEK293T cell.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1.1 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 33.7 kDa

Gene Name: pleckstrin homology domain containing A3

Database Link: NP 061964

Entrez Gene 83435 MouseEntrez Gene 295674 RatEntrez Gene 65977 Human


O9HB20

Synonyms: FAPP1






Product images:




HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY PLEKHA3 (Cat# [RC208433], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-PLEKHA3(Cat# [TA502927]). Positive lysates [LY402733] (100ug) and [LC402733] (20ug) can be purchased separately from OriGene.




Immunohistochemical staining of paraffinembedded Carcinoma of Human bladder tissue using anti-PLEKHA3 mouse monoclonal antibody. Heat-induced epitope retrieval by EDTA solution buffer pH 8.0 at 120°C for 3 min.






Immunohistochemical staining of paraffinembedded Human lymph node tissue within the normal limits using anti-PLEKHA3 mouse monoclonal antibody. Heat-induced epitope retrieval by EDTA solution buffer pH 8.0 at 120°C for 3 min.




Immunofluorescent staining of HeLa cells using anti-PLEKHA3 mouse monoclonal antibody ([TA502927]).




HEK293T cells transfected with either [RC208433] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-PLEKHA3 antibody ([TA502927]), and then analyzed by flow cytometry.





Flow cytometric Analysis of Hela cells, using anti-PLEKHA3 antibody ([TA502927]), (Red), compared to a nonspecific negative control antibody, (Blue).



Flow cytometric Analysis of Jurkat cells, using anti-PLEKHA3 antibody ([TA502927]), (Red), compared to a nonspecific negative control antibody, (Blue).