

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for TA502959BM

SOCS3 Mouse Monoclonal Antibody (HRP conjugated) [Clone ID: OTI11C5]

Product data:

Product Type:	Primary Antibodies		
Clone Name:	OTI11C5		
Applications:	FC, IF, WB		
Recommended Dilution:	WB 1:2000, IF 1:100, FLOW 1:100		
Reactivity:	Human, Mouse, Rat		
Host:	Mouse		
lsotype:	lgG1		
Clonality:	Monoclonal		
Immunogen:	Full length human recombinant protein of human SOCS3 (NP_003946) produced in HEK293T cell.		
Formulation:	PBS (pH 7.3) containing 1% BSA, 50% glycerol.		
Concentration:	0.5 mg/ml		
Purification:	Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)		
Conjugation:	HRP		
Storage:	Store at -20°C as received.		
Stability:	Stable for 12 months from date of receipt.		
Predicted Protein Size:	24.6 kDa		
Gene Name:	suppressor of cytokine signaling 3		
Database Link:	<u>NP_003946</u> <u>Entrez Gene 12702 MouseEntrez Gene 89829 RatEntrez Gene 9021 Human</u> <u>O14543</u>		




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	SOCS3 Mouse Monoclonal Antibody (HRP conjugated) [Clone ID: OTI11C5] – TA502959BM	
Background:	This gene encodes a member of the STAT-induced STAT inhibitor (SSI), also known as suppressor of cytokine signaling (SOCS), family. SSI family members are cytokine-inducible negative regulators of cytokine signaling. The expression of this gene is induced by various cytokines, including IL6, IL10, and interferon (IFN)-gamma. The protein encoded by this gene can bind to JAK2 kinase, and inhibit the activity of JAK2 kinase. Studies of the mouse counterpart of this gene suggested the roles of this gene in the negative regulation of fetal liver hematopoiesis, and placental development. [provided by RefSeq]	
Synonyms:	ATOD4; CIS3; Cish3; SOCS-3; SSI-3; SSI3	
Protein Families:	Druggable Genome	
Protein Pathway	s: Adipocytokine signaling pathway, Insulin signaling pathway, Jak-STAT signaling pathway, Type II diabetes mellitus, Ubiquitin mediated proteolysis	


Product images:

170	_	1.000
130	-	
100	_	1000
70	_	1. 1983
55	-	1.04
40	_	
35	—	6-11-12
25	-	-
15	_	
10	_	-

HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY SOCS3 ([RC209305], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-SOCS3.



Anti-SOCS3 mouse monoclonal antibody ([TA502959]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY SOCS3 ([RC209305]).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US 

Flow cytometric Analysis of Hela cells, using anti-SOCS3 antibody ([TA502959]), (Red), compared to a nonspecific negative control antibody (TA50011), (Blue).

Flow cytometric Analysis of Jurkat cells, using anti-SOCS3 antibody ([TA502959]), (Red), compared to a nonspecific negative control antibody (TA50011), (Blue).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US