

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for TA503037AM

PTP1B (PTPN1) Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI1B4]

Product data:

Product Type:	Primary Antibodies
Clone Name:	OTI1B4
Applications:	FC, WB
Recommended Dilution:	WB 1:2000, FLOW 1:100
Reactivity:	Human, Rat
Host:	Mouse
lsotype:	lgG2a
Clonality:	Monoclonal
Immunogen:	Full length human recombinant protein of human PTPN1 (NP_002818) produced in HEK293T cell.
Formulation:	PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.
Concentration:	0.5 mg/ml
Purification:	Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)
Conjugation:	Biotin
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	49.8 kDa
Gene Name:	protein tyrosine phosphatase non-receptor type 1
Database Link:	<u>NP_002818</u> <u>Entrez Gene 24697 RatEntrez Gene 5770 Human</u> <u>P18031</u>




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

PTP1B (PTPN1) Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI1B4] – TA503037AM


Background:The protein encoded by this gene is the founding member of the protein tyrosine
phosphatase (PTP) family, which was isolated and identified based on its enzymatic activity
and amino acid sequence. PTPs catalyze the hydrolysis of the phosphate monoesters
specifically on tyrosine residues. Members of the PTP family share a highly conserved catalytic
motif, which is essential for the catalytic activity. PTPs are known to be signaling molecules
that regulate a variety of cellular processes including cell growth, differentiation, mitotic cycle,
and oncogenic transformation. This PTP has been shown to act as a negative regulator of
insulin signaling by dephosphorylating the phosphotryosine residues of insulin receptor
kinase. This PTP was also reported to dephosphorylate epidermal growth factor receptor
kinase, as well as JAK2 and TYK2 kinases, which implicated the role of this PTP in cell growth
control, and cell response to interferon stimulation. [provided by RefSeq]

Synonyms:	PTP1B
Protein Families:	Druggable Genome, Phosphatase, Transmembrane
Protein Pathways:	Adherens junction, Insulin signaling pathway

Product images:




HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY PTPN1 ([RC204902], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-PTPN1. Positive lysates [LY419087] (100ug) and [LC419087] (20ug) can be purchased separately from OriGene.



HEK293T cells transfected with either [RC204902] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-PTPN1 antibody ([TA503037]), and then analyzed by flow cytometry.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US





Flow cytometric Analysis of Hela cells, using anti-PTPN1 antibody ([TA503037]), (Red), compared to a nonspecific negative control antibody, (Blue).

Flow cytometric Analysis of Jurkat cells, using anti-PTPN1 antibody ([TA503037]), (Red), compared to a nonspecific negative control antibody, (Blue).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US