

## **Product datasheet for TA503074S**

### OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US

Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# **RGS5 Mouse Monoclonal Antibody [Clone ID: OTI1E3]**

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI1E3
Applications: FC, WB

Recommended Dilution: WB 1:2000, FLOW 1:100

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Human recombinant protein fragment corresponding to amino acids 1-181 of human RGS5

(NP\_003608) produced in E.coli.

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

**Concentration:** 0.58 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

**Conjugation:** Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 20.8 kDa

**Gene Name:** regulator of G protein signaling 5

Database Link: NP 003608

Entrez Gene 19737 MouseEntrez Gene 54294 RatEntrez Gene 8490 Human

015539






#### Background:

This gene encodes a member of the regulators of G protein signaling (RGS) family. The RGS proteins are signal transduction molecules which are involved in the regulation of heterotrimeric G proteins by acting as GTPase activators. This gene is a hypoxia-inducible factor-1 dependent, hypoxia-induced gene which is involved in the induction of endothelial apoptosis. This gene is also one of three genes on chromosome 1q contributing to elevated blood pressure. Alternatively spliced transcript variants encoding different isoforms have been identified.


**Synonyms:** MST092; MST106; MST129; MSTP032; MSTP092; MSTP106; MSTP129

**Protein Families:** Druggable Genome

### **Product images:**




HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY RGS5 ([RC206857], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-RGS5. Positive lysates [LY418548] (100ug) and [LC418548] (20ug) can be purchased separately from OriGene.



Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-RGS5 monoclonal antibody (HepG2: human; HeLa: human; SVT2: mouse; A549: human; COS7: monkey; Jurkat: human; MDCK: canine; PC12: rat; MCF7: human) (1:200).





HEK293T cells transfected with either [RC206857] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-RGS5 antibody ([TA503074]), and then analyzed by flow cytometry.