

## **Product datasheet for TA503112S**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Spermine synthase (SMS) Mouse Monoclonal Antibody [Clone ID: OTI 5F9]

**Product data:** 

**Product Type:** Primary Antibodies

Clone Name: OTI 5F9
Applications: FC, IF, WB

**Recommended Dilution:** WB 1:500~2000, IF 1:100, FLOW 1:100

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human SMS (NP\_004586) produced in HEK293T

cell.

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

**Concentration:** 0.36 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 41.1 kDa

**Gene Name:** spermine synthase

Database Link: NP 004586

Entrez Gene 20603 MouseEntrez Gene 363469 RatEntrez Gene 6611 Human

P52788

**Background:** This gene encodes a protein belonging to the spermidine/spermin synthase family.

Pseudogenes of this gene are located on chromosomes 1, 5, 6 and X. Mutations in this gene are associated with X-linked Snyder-Robinson mental retardation syndrome. Multiple

transcript variants encoding different isoforms have been found for this gene. [provided by

RefSeq, May 2012]






Synonyms: MRSR; SPMSY; SpS; SRS


**Protein Pathways:** Arginine and proline metabolism, beta-Alanine metabolism, Cysteine and methionine

metabolism, Glutathione metabolism, Metabolic pathways


## **Product images:**




HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY SMS ([RC200619], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-SMS. Positive lysates [LY417877] (100ug) and [LC417877] (20ug) can be purchased separately from OriGene.




Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-SMS monoclonal antibody (HepG2: human; HeLa: human; SVT2: mouse; A549: human; COS7: monkey; Jurkat: human; MDCK: canine; PC12: rat; MCF7: human).



Anti-SMS mouse monoclonal antibody ([TA503112]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY SMS ([RC200619]).



Flow cytometric Analysis of Hela cells, using anti-SMS antibody ([TA503112]), (Red), compared to a nonspecific negative control antibody, (Blue).



Flow cytometric Analysis of Jurkat cells, using anti-SMS antibody ([TA503112]), (Red), compared to a nonspecific negative control antibody, (Blue).