

Product datasheet for TA503265

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

TRAP alpha (SSR1) Mouse Monoclonal Antibody [Clone ID: OTI 5D5]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI 5D5

Applications: FC, WB

Recommended Dilution: WB 1:500, FLOW 1:100

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human SSR1 (NP_003135) produced in HEK293T

cell

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 0.29 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 32.1 kDa

Gene Name: signal sequence receptor subunit 1

Database Link: NP 003135

Entrez Gene 107513 MouseEntrez Gene 6745 Human

P43307

Background: The signal sequence receptor (SSR) is a glycosylated endoplasmic reticulum (ER) membrane

receptor associated with protein translocation across the ER membrane. The SSR consists of 2 subunits, a 34-kD glycoprotein encoded by this gene and a 22-kD glycoprotein. This gene generates several mRNA species as a result of complex alternative polyadenylation. This gene is unusual in that it utilizes arrays of polyA signal sequences that are mostly non-canonical.

[provided by RefSeq, Jul 2008]







Synonyms: TRAPA

Protein Families: Druggable Genome, Transmembrane


Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY SSR1 ([RC202408], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-SSR1. Positive lysates [LY401093] (100ug) and [LC401093] (20ug) can be purchased separately from OriGene.





Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-SSR1 monoclonal antibody (HepG2: human; HeLa: human; SVT2: mouse; A549: human; COS7: monkey; Jurkat: human; MDCK: canine; PC12: rat; MCF7: human).




Equivalent amounts of cell lysates (10 ug per lane) of wild-type HeLa cells (WT, Cat# LC810HELA) and SSR1-Knockout HeLa cells (KO, Cat# [LC812609]) were separated by SDS-PAGE and immunoblotted with anti-SSR1 monoclonal antibody TA503265 (1:2000`). Then the blotted membrane was stripped and reprobed with anti-HSP90 antibody as a loading control.










Flow cytometric Analysis of Hela cells, using anti-SSR1 antibody (TA503265), (Red), compared to a nonspecific negative control antibody, (Blue).



Flow cytometric Analysis of Jurkat cells, using anti-SSR1 antibody (TA503265), (Red), compared to a nonspecific negative control antibody, (Blue).