

Product datasheet for TA503344S

COASY Mouse Monoclonal Antibody [Clone ID: OTI3B3]

Product data:

Product Type:	Primary Antibodies
Clone Name:	OTI3B3
Applications:	FC, IF, IHC, WB
Recommended Dilution:	WB 1:2000, IHC 1:150, IF 1:100, FLOW 1:100
Reactivity:	Human, Mouse, Rat
Host:	Mouse
lsotype:	IgG2a
Clonality:	Monoclonal
Immunogen:	Full length human recombinant protein of human COASY(NP_079509) produced in HEK293T cell.
Formulation:	PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.
Concentration:	0.75 mg/ml
Purification:	Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	62.1 kDa
Gene Name:	Coenzyme A synthase
Database Link:	<u>NP_079509</u> <u>Entrez Gene 71743 MouseEntrez Gene 287711 RatEntrez Gene 80347 Human</u> <u>Q13057</u>
Background:	Biosynthesis of coenzyme A (CoA) from pantothenic acid (vitamin B5) is an essential universal pathway in prokaryotes and eukaryotes. COASY is a bifunctional enzyme that catalyzes the 2 last steps in CoA synthesis. These activities are performed by 2 separate enzymes, phosphopantetheine adenylyltransferase (PPAT; EC 2.7.7.3) and dephospho-CoA kinase (DPCK; EC 2.7.1.24), in prokaryotes (Daugherty et al., 2002 [PubMed 11923312]). [supplied by OMIM]



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

COASY Mouse Monoclonal Antibody [Clone ID: OTI3B3] - TA503344S

Synonyms: DPCK; NBIA6; NBP; pOV-2; PPAT; UKR1

Protein Pathways:

Metabolic pathways, Pantothenate and CoA biosynthesis


Product images:


HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY COASY (Cat# [RC220733], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-COASY(Cat# [TA503344]). Positive lysates [LY403068] (100ug) and [LC403068] (20ug) can be purchased separately from OriGene.


Immunohistochemical staining of paraffinembedded Human breast tissue within the normal limits using anti-COASY mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA503344])

Immunohistochemical staining of paraffinembedded Human Kidney tissue within the normal limits using anti-COASY mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA503344])

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US








Immunohistochemical staining of paraffinembedded Carcinoma of Human lung tissue using anti-COASY mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA503344])

Immunohistochemical staining of paraffinembedded Adenocarcinoma of Human ovary tissue using anti-COASY mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA503344])

Immunohistochemical staining of paraffinembedded Human pancreas tissue within the normal limits using anti-COASY mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA503344])

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US




Immunohistochemical staining of paraffinembedded Adenocarcinoma of Human endometrium tissue using anti-COASY mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA503344])

Immunohistochemical staining of paraffinembedded Human tonsil within the normal limits using anti-COASY mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA503344])

Anti-COASY mouse monoclonal antibody ([TA503344]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY COASY ([RC220733]).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



HEK293T cells transfected with either [RC220733] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-COASY antibody ([TA503344]), and then analyzed by flow cytometry.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US