

Product datasheet for TA503381BM

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

DOK2 Mouse Monoclonal Antibody (HRP conjugated) [Clone ID: OTI2D10]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI2D10

Applications: WB

Recommended Dilution: WB 1:200~500

Reactivity: Human, Dog, Rat, Monkey, Mouse

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human DOK2(NP_003965) produced in HEK293T

cell

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol.

Concentration: 0.5 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: HRP

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 45.2 kDa

Gene Name: docking protein 2

Database Link: NP 003965

Entrez Gene 13449 MouseEntrez Gene 290361 RatEntrez Gene 486133 DogEntrez Gene

706317 MonkeyEntrez Gene 9046 Human

<u>060496</u>

Background: The protein encoded by this gene is constitutively tyrosine phosphorylated in hematopoietic

progenitors isolated from chronic myelogenous leukemia (CML) patients in the chronic phase.

It may be a critical substrate for p210(bcr/abl), a chimeric protein whose presence is

associated with CML. This encoded protein binds p120 (RasGAP) from CML cells. [provided by

RefSeq1







Synonyms: p56DOK; p56dok-2

Protein Families: Druggable Genome

Product images:





HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY DOK2 ([RC207621], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-DOK2. Positive lysates [LY418321] (100ug) and [LC418321] (20ug) can be purchased separately from OriGene.

Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-DOK2 monoclonal antibody (HepG2: human; HeLa: human; SVT2: mouse; A549: human; COS7: monkey; Jurkat: human; MDCK: canine; PC12: rat; MCF7: human).