

## **Product datasheet for TA503494S**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## **DTYMK Mouse Monoclonal Antibody [Clone ID: OTI1H4]**

**Product data:** 

**Product Type:** Primary Antibodies

Clone Name: OTI1H4

Applications: FC, IF, WB

Recommended Dilution: WB 1:2000, IF 1:100, FLOW 1:100

Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human DTYMK(NP\_036277) produced in HEK293T

cell.

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

**Concentration:** 0.78 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 23.6 kDa

**Gene Name:** deoxythymidylate kinase

Database Link: NP 036277

Entrez Gene 1841 Human

P23919


**Synonyms:** CDC8; PP3731; TMPK; TYMK

**Protein Families:** Druggable Genome


**Protein Pathways:** Metabolic pathways, Pyrimidine metabolism




## **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY DTYMK ([RC201228], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-DTYMK. Positive lysates [LY415933] (100ug) and [LC415933] (20ug) can be purchased separately from OriGene.



Anti-DTYMK mouse monoclonal antibody ([TA503494]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY DTYMK ([RC201228]).



HEK293T cells transfected with either [RC201228] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-DTYMK antibody ([TA503494]), and then analyzed by flow cytometry.