

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Product datasheet for TA503695BM

# AIPL1 Mouse Monoclonal Antibody (HRP conjugated) [Clone ID: OTI2B11]

## **Product data:**

Product Type:	Primary Antibodies
Clone Name:	OTI2B11
Applications:	FC, IF, WB
Recommended Dilution:	WB 1:500~2000, IF 1:100, FLOW 1:100
Reactivity:	Human, Dog, Rat, Monkey, Mouse
Host:	Mouse
lsotype:	lgG1
Clonality:	Monoclonal
Immunogen:	Full length human recombinant protein of human AIPL1(NP_055151) produced in HEK293T cell.
Formulation:	PBS (pH 7.3) containing 1% BSA, 50% glycerol.
Concentration:	0.5 mg/ml
Purification:	Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)
Conjugation:	HRP
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	43.7 kDa
Gene Name:	aryl hydrocarbon receptor interacting protein like 1
Database Link:	<u>NP 055151</u> <u>Entrez Gene 59110 RatEntrez Gene 114230 MouseEntrez Gene 489447 DogEntrez Gene</u> <u>574331 MonkeyEntrez Gene 23746 Human</u> <u>Q9NZN9</u>



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


#### AIPL1 Mouse Monoclonal Antibody (HRP conjugated) [Clone ID: OTI2B11] - TA503695BM

### **Background:** Leber congenital amaurosis (LCA) accounts for at least 5% of all inherited retinal disease and is the most severe inherited retinopathy with the earliest age of onset. Individuals affected with LCA are diagnosed at birth or in the first few months of life with severely impaired vision or blindness, nystagmus and an abnormal or flat electroretinogram. The photoreceptor/pineal -expressed gene, AIPL1, encoding aryl-hydrocarbon interacting proteinlike 1, was mapped within the LCA4 candidate region. The protein contains three tetratricopeptide motifs, consistent with nuclear transport or chaperone activity. AIPL1 mutations may cause approximately 20% of recessive LCA. [provided by RefSeq]

Synonyms:	AIPL2; LCA4
Protein Families:	Druggable Geno

Druggable Genome

### **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY AIPL1 ([RC204079], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-AIPL1. Positive lysates [LY415353] (100ug) and [LC415353] (20ug) can be purchased separately from OriGene.


158-106-79-48-35-23-

HepG2 HeLa SVT2 A549 COS7 Jurkat MDCK PC12 MCF7


Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-AIPL1 monoclonal antibody.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

# 



Anti-AlPL1 mouse monoclonal antibody ([TA503695]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY AIPL1 ([RC204079]).



HEK293T cells transfected with either [RC204079] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-AlPL1 antibody ([TA503695]), and then analyzed by flow cytometry.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US