

# Product datasheet for TA503815S

# WDR4 Mouse Monoclonal Antibody [Clone ID: OTI4G1]

## **Product data:**

Product Type:	Primary Antibodies
Clone Name:	OTI4G1
Applications:	FC, IF, WB
Recommended Dilution:	WB 1:2000, IF 1:100, FLOW 1:100
Reactivity:	Human
Host:	Mouse
lsotype:	lgG1
Clonality:	Monoclonal
Immunogen:	Full length human recombinant protein of human WDR4(NP_387510) produced in HEK293T cell.
Formulation:	PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.
Concentration:	1.2 mg/ml
Purification:	Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	45.3 kDa
Gene Name:	WD repeat domain 4
Database Link:	<u>NP_387510</u> <u>Entrez Gene 10785 Human</u> <u>P57081</u>



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn


#### **GRIGENE** WDR4 Mouse Monoclonal Antibody [Clone ID: OTI4G1] – TA5038155

# Background:This gene encodes a member of the WD repeat protein family. WD repeats are minimally<br/>conserved regions of approximately 40 amino acids typically bracketed by gly-his and trp-asp<br/>(GH-WD), which may facilitate formation of heterotrimeric or multiprotein complexes.<br/>Members of this family are involved in a variety of cellular processes, including cell cycle<br/>progression, signal transduction, apoptosis, and gene regulation. This gene is excluded as a<br/>candidate for a form of nonsyndromic deafness (DFNB10), but is still a candidate for other<br/>disorders mapped to 21q22.3 as well as for the development of Down syndrome phenotypes.<br/>Alternatively spliced transcript variants have been found for this gene. [provided by RefSeq,<br/>May 2012]


Synonyms:

TRM82; TRMT82

### **Product images:**




HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY WDR4 (Cat# [RC217569], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-WDR4(Cat# [TA503815]). Positive lysates [LY403257] (100ug) and [LC403257] (20ug) can be purchased separately from OriGene.



Anti-WDR4 mouse monoclonal antibody ([TA503815]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY WDR4 ([RC217569]).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



HEK293T cells transfected with either [RC217569] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-WDR4 antibody ([TA503815]), and then analyzed by flow cytometry.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US