

### Product datasheet for TA503855AM

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

#### ARH (LDLRAP1) Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI7A5]

**Product data:** 

**Product Type:** Primary Antibodies

Clone Name: OTI7A5

Applications: WB

Recommended Dilution: WB 1:2000

Reactivity: Human, Dog, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human LDLRAP1(NP\_056442) produced in

HEK293T cell.

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

**Concentration:** 0.5 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Biotin

Storage: Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 33.7 kDa

**Gene Name:** low density lipoprotein receptor adaptor protein 1

Database Link: NP 056442

Entrez Gene 100017 MouseEntrez Gene 500564 RatEntrez Gene 612219 DogEntrez Gene

<u>26119 Human</u> Q5SW96

Background: The protein encoded by

The protein encoded by this gene is a cytosolic protein which contains a phosphotyrosine binding (PTD) domain. The PTD domain has been found to interact with the cytoplasmic tail of the LDL receptor. Mutations in this gene lead to LDL receptor malfunction and cause the disorder autosomal recessive hypercholesterolaemia. [provided by RefSeq, Jul 2008]






# ARH (LDLRAP1) Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI7A5] – TA503855AM


Synonyms: ARH; ARH1; ARH2; FHCB1; FHCB2

**Protein Families:** Druggable Genome

**Protein Pathways:** Endocytosis

## **Product images:**





HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY LDLRAP1 ([RC206643], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-LDLRAP1. Positive lysates [LY414462] (100ug) and [LC414462] (20ug) can be purchased separately from OriGene.

Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-LDLRAP1 monoclonal antibody (HepG2: human; HeLa: human; SVT2: mouse; A549: human; COS7: monkey; Jurkat: human; MDCK: canine; PC12: rat; MCF7: human).