

Product datasheet for TA504042

TIMP2 Mouse Monoclonal Antibody [Clone ID: OTI3H8]

Product data:

Product Type:	Primary Antibodies		
Clone Name:	OTI3H8		
Applications:	FC, WB		
Recommended Dilution:	WB 1:2000, FLOW 1:100		
Reactivity:	Human, Mouse, Rat		
Host:	Mouse		
lsotype:	lgG1		
Clonality:	Monoclonal		
Immunogen:	Full length human recombinant protein of human TIMP2(NP_003246) produced in HEK293T cell.		
Formulation:	PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.		
Concentration:	1 mg/ml		
Purification:	Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)		
Conjugation:	Unconjugated		
Storage:	Store at -20°C as received.		
Stability:	Stable for 12 months from date of receipt.		
Predicted Protein Size:	21.7 kDa		
Gene Name:	TIMP metallopeptidase inhibitor 2		
Database Link:	<u>NP_003246</u> <u>Entrez Gene 21858 MouseEntrez Gene 29543 RatEntrez Gene 7077 Human</u> <u>P16035</u>		



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

GRIGENE TIMP2 Mouse Monoclonal Antibody [Clone ID: OTI3H8] – TA504042


Background:This gene is a member of the TIMP gene family. The proteins encoded by this gene family are
natural inhibitors of the matrix metalloproteinases, a group of peptidases involved in
degradation of the extracellular matrix. In addition to an inhibitory role against
metalloproteinases, the encoded protein has a unique role among TIMP family members in
its ability to directly suppress the proliferation of endothelial cells. As a result, the encoded
protein may be critical to the maintenance of tissue homeostasis by suppressing the
proliferation of quiescent tissues in response to angiogenic factors, and by inhibiting
protease activity in tissues undergoing remodelling of the extracellular matrix. [provided by
RefSeq]

Synonyms:			CSC-21K; DDC8	CSC-21K; DDC8			


Protein Families:

Druggable Genome, Secreted Protein

Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY TIMP2 ([RC209796], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-TIMP2. Positive lysates [LY418809] (100ug) and [LC418809] (20ug) can be purchased separately from OriGene.



HEK293T cells transfected with either [RC209796] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-TIMP2 antibody (TA504042), and then analyzed by flow cytometry.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US