

# **Product datasheet for TA504309AM**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## GADD34 (PPP1R15A) Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI2B11]

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI2B11
Applications: FC, IF, WB

**Recommended Dilution:** WB 1:500~2000, IF 1:100, FLOW 1:100

Reactivity: Human, Mouse

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

**Immunogen:** Full length human recombinant protein of human PPP1R15A(NP\_055145) produced in

HEK293T cell.

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

**Concentration:** 0.5 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Biotin

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 73.3 kDa

**Gene Name:** protein phosphatase 1 regulatory subunit 15A

Database Link: NP 055145

Entrez Gene 17872 MouseEntrez Gene 23645 Human

075807

**Background:** This gene is a member of a group of genes whose transcript levels are increased following

stressful growth arrest conditions and treatment with DNA-damaging agents. The induction of this gene by ionizing radiation occurs in certain cell lines regardless of p53 status, and its protein response is correlated with apoptosis following ionizing radiation. [provided by

RefSeq, Jul 2008]






# GADD34 (PPP1R15A) Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI2B11] – TA504309AM

Synonyms: GADD34

**Protein Families:** Druggable Genome

## **Product images:**



Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-PPP1R15A monoclonal antibody (HepG2: human; HeLa: human; SVT2: mouse; A549: human; COS7: monkey; Jurkat: human; MDCK: canine; PC12: rat; MCF7: human).






Figure A, Western blot analysis of overexpressed lysates(15ug per lane) from HEK293T cells transfected with empty plasmid ([PS100001], NC), human GADD34 plasmid ([RC200581], hGADD34), mouse GADD34 plasmid ([MR227514], mGADD34) using anti-GADD34 antibody [TA504309](1:500). Figure B, Western blot analysis of the same samples as figure A with anti-DDK antibody ([TA180144], 1:1000)




Anti-PPP1R15A mouse monoclonal antibody ([TA504309]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY PPP1R15A ([RC200581]).






HEK293T cells transfected with either [RC200581] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-PPP1R15A antibody ([TA504309]), and then analyzed by flow cytometry.



Flow cytometric Analysis of Hela cells, using anti-PPP1R15A antibody ([TA504309]), (Red), compared to a nonspecific negative control antibody, (Blue).



Flow cytometric Analysis of Jurkat cells, using anti-PPP1R15A antibody ([TA504309]), (Red), compared to a nonspecific negative control antibody, (Blue).