

Product datasheet for TA505283

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

B3GNT1 (B3GNT2) Mouse Monoclonal Antibody [Clone ID: OTI3A9]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI3A9

Applications: IF, IHC, WB

Recommended Dilution: WB 1:2000, IHC 1:150, IF 1:100

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG2a

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human B3GNT2(NP_006568) produced in HEK293T

cell

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 45.8 kDa

Gene Name: UDP-GlcNAc:betaGal beta-1,3-N-acetylglucosaminyltransferase 2

Database Link: NP 006568

Entrez Gene 53625 MouseEntrez Gene 305571 RatEntrez Gene 10678 Human

09NY97

Background: This gene encodes a member of the beta-1,3-N-acetylglucosaminyltransferase family. This

enzyme is a type II transmembrane protein. It prefers the substrate of lacto-N-neotetraose, and is involved in the biosynthesis of poly-N-acetyllactosamine chains. [provided by RefSeq,

Jul 2008]



B3GNT1 (B3GNT2) Mouse Monoclonal Antibody [Clone ID: OTI3A9] - TA505283

Synonyms: 3-Gn-T1; 3-Gn-T2; B3GN-T2; B3GNT; B3GNT-2; B3GNT1; beta-1; beta-1; beta-3Gn-T2;


BETA3GNT; BGnT-2

Protein Families: Transmembrane


Protein Pathways: Glycosphingolipid biosynthesis - lacto and neolacto series, Keratan sulfate biosynthesis,

Metabolic pathways

Product images:




HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY B3GNT2 (Cat# [RC208100], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-B3GNT2(Cat# TA505283). Positive lysates [LY416552] (100ug) and [LC416552] (20ug) can be purchased separately from OriGene.




Immunohistochemical staining of paraffinembedded Adenocarcinoma of Human colon tissue using anti-B3GNT2 mouse monoclonal antibody. Heat-induced epitope retrieval by EDTA solution buffer pH 8.0 at 120°C for 3 min.






Immunohistochemical staining of paraffinembedded Human Kidney tissue within the normal limits using anti-B3GNT2 mouse monoclonal antibody. Heat-induced epitope retrieval by EDTA solution buffer pH 8.0 at 120°C for 3 min.



Anti-B3GNT2 mouse monoclonal antibody (TA505283) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY B3GNT2 ([RC208100]).



Immunofluorescent staining of HeLa cells using anti-B3GNT2 mouse monoclonal antibody (TA505283).