

Product datasheet for TA505597

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

GLB1 Mouse Monoclonal Antibody [Clone ID: OTI5H2]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI5H2

Applications: FC, IF, WB

Recommended Dilution: WB 1:1000, IF 1:100, FLOW 1:100

Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human GLB1(NP_001073279) produced in

HEK293T cell.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 72.6 kDa

Gene Name: galactosidase beta 1

Database Link: NP 001073279

Entrez Gene 2720 Human

P16278

Background: This gene encodes beta-galactosidase-1, a lysosomal enzyme that hydrolyzes the terminal

beta-galactose from ganglioside substrates and other glycoconjugates. Defects in this gene are the cause of GM1-gangliosidosis and Morquio B syndrome. Multiple transcript variants

encoding different isoforms have been found for this gene. [provided by RefSeq]

Synonyms: EBP; ELNR1; MPS4B






Protein Families: Druggable Genome

Protein Pathways: Galactose metabolism, Glycosaminoglycan degradation, Glycosphingolipid biosynthesis -


 $ganglio\ series,\ Lysosome,\ Metabolic\ pathways,\ Other\ glycan\ degradation,\ Sphingolipid$

metabolism

Product images:




HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY GLB1 ([RC200721], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-GLB1.




Western blot analysis of extracts (10ug) from 6 different cell lines by using anti-GLB1 monoclonal antibody (1:200).





Anti-GLB1 mouse monoclonal antibody (TA505597) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY GLB1 ([RC200721]).



HEK293T cells transfected with either [RC200721] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-GLB1 antibody (TA505597), and then analyzed by flow cytometry.