

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for TA505810

Her2 (ERBB2) Mouse Monoclonal Antibody [Clone ID: OTI1A12]

Product data:

Product Type:	Primary Antibodies
Clone Name:	OTI1A12
Applications:	IHC, WB
Recommended Dilution:	WB 1:1000, IHC 1:150
Reactivity:	Human, Mouse, Rat
Host:	Mouse
lsotype:	lgG2b
Clonality:	Monoclonal
Immunogen:	Human recombinant protein fragment corresponding to amino acids 676-1255 of human ERBB2(NP_004439) produced in HEK293T cell.
Formulation:	PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.
Concentration:	1 mg/ml
Purification:	Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	137.7 kDa
Gene Name:	erb-b2 receptor tyrosine kinase 2
Database Link:	<u>NP_004439</u> <u>Entrez Gene 13866 MouseEntrez Gene 24337 RatEntrez Gene 2064 Human</u> <u>P04626</u>



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Serigene Her2 (ERBB2) Mouse Monoclonal Antibody [Clone ID: OTI1A12] – TA505810


Background:	This gene encodes a member of the epidermal growth factor (EGF) receptor family of
	receptor tyrosine kinases. This protein has no ligand binding domain of its own and therefore
	cannot bind growth factors. However, it does bind tightly to other ligand-bound EGF receptor
	family members to form a heterodimer, stabilizing ligand binding and enhancing kinase-
	mediated activation of downstream signalling pathways, such as those involving mitogen-
	activated protein kinase and phosphatidylinositol-3 kinase. Allelic variations at amino acid
	positions 654 and 655 of isoform a (positions 624 and 625 of isoform b) have been reported,
	with the most common allele, Ile654/Ile655, shown here. Amplification and/or overexpression
	of this gene has been reported in numerous cancers, including breast and ovarian tumors.
	Alternative splicing results in several additional transcript variants, some encoding different
	isoforms and others that have not been fully characterized. [provided by RefSeq, Jul 2008]

Synonyms: CD340; HER-2; HER-2/neu; HER2; MLN 19; NEU; NGL; TKR1

Protein Families: Druggable Genome, Protein Kinase, Transmembrane


Protein Pathways:Adherens junction, Bladder cancer, Calcium signaling pathway, Endometrial cancer, ErbBsignaling pathway, Focal adhesion, Non-small cell lung cancer, Pancreatic cancer, Pathways in
cancer, Prostate cancer

Product images:





HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY ERBB2 ([RC212583], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-ERBB2. Positive lysates [LY417979] (100ug) and [LC417979] (20ug) can be purchased separately from OriGene.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Western blot analysis of extracts (35ug) from 2 different cell lines by using anti-ERBB2 monoclonal antibody (1:500).






Immunohistochemical staining of paraffinembedded Adenocarcinoma of Human breast tissue using anti-ERBB2 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 120°C for 3min, TA505810)

Immunohistochemical staining of paraffinembedded Adenocarcinoma of Human colon tissue using anti-ERBB2 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 120°C for 3min, TA505810)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemical staining of paraffinembedded Adenocarcinoma of Human endometrium tissue using anti-ERBB2 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 120°C for 3min, TA505810)

Immunohistochemical staining of paraffinembedded Carcinoma of Human bladder tissue using anti-ERBB2 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 120°C for 3min, TA505810)

Immunohistochemical staining of paraffinembedded Human tonsil within the normal limits using anti-ERBB2 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 120°C for 3min, TA505810)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US