

## Product datasheet for TA505898M

## 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

CN: techsupport@origene.cn

OriGene Technologies, Inc.

## **DPCD Mouse Monoclonal Antibody [Clone ID: OTI4B9]**

**Product data:** 

**Product Type:** Primary Antibodies

Clone Name: OTI4B9

**Applications:** IF, IHC, WB

Recommended Dilution: WB 1:4000, IHC 1:150, IF 1:100

Reactivity: Human, Mouse

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human DPCD(NP\_056263) produced in HEK293T

cell

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

**Conjugation:** Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 23.1 kDa

**Gene Name:** deleted in primary ciliary dyskinesia homolog (mouse)

Database Link: NP 056263

Entrez Gene 226162 MouseEntrez Gene 25911 Human


Q9BVM2

**Synonyms:** RP11-529I10.4






## **Product images:**




HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY DPCD (Cat# [RC200890], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-DPCD(Cat# [TA505898]). Positive lysates [LY414547] (100ug) and [LC414547] (20ug) can be purchased separately from OriGene.




Immunohistochemical staining of paraffinembedded Adenocarcinoma of Human endometrium tissue using anti-DPCD mouse monoclonal antibody. Heat-induced epitope retrieval by EDTA solution buffer pH 8.0 at 120°C for 3 min.





Immunohistochemical staining of paraffinembedded Human lymphoma tissue using anti-DPCD mouse monoclonal antibody. Heat-induced epitope retrieval by EDTA solution buffer pH 8.0 at 120°C for 3 min.



Anti-DPCD mouse monoclonal antibody ([TA505898]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY DPCD ([RC200890]).