

## **Product datasheet for TA506170**

# OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### CD105 (ENG) Mouse Monoclonal Antibody [Clone ID: OTI8A1]

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI8A1
Applications: IF, WB

Recommended Dilution: WB 1:200~4000, IF 1:100

Reactivity: Human
Host: Mouse
Isotype: IgG2b

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human ENG(NP\_000109) produced in HEK293T

cell.

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

Predicted Protein Size: 65 kDa

Gene Name: endoglin

Database Link: NP 000109

Entrez Gene 2022 Human

P17813




Background:

This gene encodes a homodimeric transmembrane protein which is a major glycoprotein of the vascular endothelium. This protein is a component of the transforming growth factor beta receptor complex and it binds TGFB1 and TGFB3 with high affinity. Mutations in this gene cause hereditary hemorrhagic telangiectasia, also known as Osler-Rendu-Weber syndrome 1, an autosomal dominant multisystemic vascular dysplasia. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Sep 2008]

Synonyms: END; HHT1; ORW1

**Protein Families:** Druggable Genome, ES Cell Differentiation/IPS, Transmembrane

#### **Product images:**



Immunofluorescent staining of HeLa cells using anti-ENG mouse monoclonal antibody (TA506170).




Figure A, Western blot analysis of overexpressed lysates(25ug per lane) from HEK293T cells transfected with empty plasmid ([PS100001], lane NC), human ENG plasmid ([RC221699], lane hENG), mouse ENG plasmid ([MR222686], lane mENG), rat ENG plasmid ([RR212346], lane rENG) using anti-ENG antibody TA506170 (1:500). Figure B, Western blot analysis of the same samples as figure A with anti-DDK antibody ([TA180144], 1:1000)