

### Product datasheet for TA506389BM

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# CD163 Mouse Monoclonal Antibody (HRP conjugated) [Clone ID: OTI3C4]

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI3C4

**Applications:** IF, IHC, LMNX, WB

Recommended Dilution: WB 1:4000, IHC 1:500, IF 1:100

Reactivity: Human
Host: Mouse
Isotype: IgG2a

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human CD163(NP\_004235) produced in HEK293T

cell

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol.

**Concentration:** 0.5 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: HRP

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

Predicted Protein Size: 125.3 kDa

Gene Name: CD163 molecule

Database Link: NP 004235

Entrez Gene 9332 Human

Q86VB7


Synonyms: M130; MM130; SCARI1

**Protein Families:** Druggable Genome, Secreted Protein, Transmembrane







# **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY CD163 ([RC208557], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-CD163. Positive lysates [LY401362] (100ug) and [LC401362] (20ug) can be purchased separately from OriGene.




Immunohistochemical staining of paraffinembedded Human thyroid tissue within the normal limits using anti-CD163 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 120°C for 3min, [TA506389])




Immunohistochemical staining of paraffinembedded Human tonsil within the normal limits using anti-CD163 mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, [TA506389]) (1:500)





CD163 Luminex ELISA with 3C1 (TA506393) Capture and 3C4 (TA506389) Detection Antibodies



Anti-CD163 mouse monoclonal antibody ([TA506389]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY CD163 ([RC208557]).

CD163 Luminex with 3C1 Capture ([TA506393]) and 3C4 Detection ([TA506389]) Antibodies. Substrate used: full length HEK293 cells expressed recombinant protein of human CD163 ([TP308557]).