

## Product datasheet for TA506551AM

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Tyrosine Hydroxylase (TH) Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI2D4]

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI2D4

Applications: IF, IHC, WB

Recommended Dilution: WB 1:4000, IF 1:100, IHC: 1:150

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

**Immunogen:** Full length human recombinant protein of human TH(NP\_000351) produced in HEK293T cell.

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

**Concentration:** 0.5 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

**Conjugation:** Biotin

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

Predicted Protein Size: 55.4 kDa

**Gene Name:** tyrosine hydroxylase

Database Link: NP 000351

Entrez Gene 21823 MouseEntrez Gene 25085 RatEntrez Gene 7054 Human

P07101

Synonyms: DYT5b; DYT14; TYH


Protein Families: Druggable Genome

**Protein Pathways:** Metabolic pathways, Parkinson's disease, Tyrosine metabolism







## **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY TH ([RC211218], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-TH. Positive lysates [LY424777] (100ug) and [LC424777] (20ug) can be purchased separately from OriGene.




Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-TH monoclonal antibody (HepG2: human; HeLa: human; SVT2: mouse; A549: human; COS7: monkey; Jurkat: human; MDCK: canine; PC12: rat; MCF7: human). Dilution: 1:400




Immunohistochemical staining of paraffinembedded Adenocarcinoma of Human ovary tissue using anti-TH mouse monoclonal antibody. ([TA506551])





Immunohistochemical staining of paraffinembedded Human lymph node tissue within the normal limits using anti-TH mouse monoclonal antibody. ([TA506551])



Anti-TH mouse monoclonal antibody ([TA506551]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY TH ([RC211218]).