

# Product datasheet for TA506734AM

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## IFNGR2 Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI1C2]

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI1C2
Applications: IHC, WB

Recommended Dilution: WB 1:500, IHC 1:150

Reactivity: Human
Host: Mouse
Isotype: IgG2b

Clonality: Monoclonal

**Immunogen:** Full length human recombinant protein of human IFNGR2(NP\_005525) produced in HEK293T

cell.

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

**Concentration:** 0.5 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Biotin

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 35 kDa

**Gene Name:** interferon gamma receptor 2

Database Link: NP 005525

Entrez Gene 3460 Human

P38484

**Background:** This gene (IFNGR2) encodes the non-ligand-binding beta chain of the gamma interferon

receptor. Human interferon-gamma receptor is a heterodimer of IFNGR1 and IFNGR2.

Defects in IFNGR2 are a cause of mendelian susceptibility to mycobacterial disease (MSMD), also known as familial disseminated atypical mycobacterial infection. MSMD is a genetically

heterogeneous disease with autosomal recessive, autosomal dominant or X-linked

inheritance. [provided by RefSeq, Jul 2008]






Synonyms: AF-1; IFGR2; IFNGT1; IMD28

**Protein Families:** Druggable Genome, Transmembrane


**Protein Pathways:** Cytokine-cytokine receptor interaction, Jak-STAT signaling pathway, Natural killer cell

mediated cytotoxicity

# **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY IFNGR2 (Cat# [RC200674], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-IFNGR2(Cat# [TA506734]). Positive lysates [LY401697] (100ug) and [LC401697] (20ug) can be purchased separately from OriGene.



Immunohistochemical staining of paraffinembedded Adenocarcinoma of Human colon tissue using anti-IFNGR2 mouse monoclonal antibody ([TA506734]) at 1:150 dilution.