

## Product datasheet for **TA507234M**

### MINPP1 Mouse Monoclonal Antibody [Clone ID: OTI1B2]

#### Product data:

Product Type:	Primary Antibodies
Clone Name:	OTI1B2
Applications:	IF, IHC, WB
Recommended Dilution:	WB 1:4000, IF 1:100, IHC 1:150
Reactivity:	Human
Host:	Mouse
Isotype:	IgG1
Clonality:	Monoclonal
Immunogen:	Full length human recombinant protein of human MINPP1(NP_004888) produced in HEK293T cell.
Formulation:	PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.
Concentration:	1 mg/ml
Purification:	Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	54.9 kDa
Gene Name:	multiple inositol-polyphosphate phosphatase 1
Database Link:	<a href="#">NP_004888</a> <a href="#">Entrez Gene 9562 Human</a> <a href="#">Q9UNW1</a>
Background:	This gene encodes multiple inositol polyphosphate phosphatase; an enzyme that removes 3-phosphate from inositol phosphate substrates. It is the only enzyme known to hydrolyze inositol pentakisphosphate and inositol hexakisphosphate. This enzyme also converts 2,3-bisphosphoglycerate (2,3-BPG) to 2-phosphoglycerate; an activity formerly thought to be exclusive to 2,3-BPG synthase/2-phosphatase (BPGM) in the Rapoport-Luebering shunt of the glycolytic pathway. [provided by RefSeq, Sep 2009]




[View online »](#)

**Synonyms:** HIPER1; MINPP2; MIPP


**Protein Families:** Druggable Genome

**Protein Pathways:** Inositol phosphate metabolism


### Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY MINPP1 (Cat# [RC207581], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-MINPP1 (Cat# [TA507234]). Positive lysates [LY417667] (100ug) and [LC417667] (20ug) can be purchased separately from OriGene.



Immunohistochemical staining of paraffin-embedded Human Kidney tissue within the normal limits using anti-MINPP1 mouse monoclonal antibody ([TA507234]) at 1:150 dilution. Heat-induced epitope retrieval by EDTA solution buffer pH 8.0 at 120°C for 3 min.



Anti-MINPP1 mouse monoclonal antibody ([TA507234]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY MINPP1 ([RC207581]).